

# It pays to participate.

Earn incentives on geothermal and heat pump water heater technology and build your business with the NYS Clean Heat Program.

## Here's How

1. Enroll as an NYS Clean Heat participating contractor at [nystatewidecmp.programprocessing.com](https://nystatewidecmp.programprocessing.com).
2. Select and purchase eligible equipment depending on your customer's needs and Manual J calculations.
3. Install qualified equipment for a National Grid electric customer. See eligibility requirements on back.
4. Visit [nyscleanheatrebates.com](https://nyscleanheatrebates.com).

Learn more at [cleanheat.ny.gov/contractors](https://cleanheat.ny.gov/contractors).

## Customer rebates and contractor rewards available:

Category	Technology	Incentive	Total Incentive	Participating Contractor Reward <sup>1</sup>
3	GSHP: Full Load Heating	\$/10,000 Btu/h of full load heating capacity as certified by AHRI <sup>2</sup>	\$1,500	\$500/project
5	Air-Source HPWH (≤ 120 gal)	\$/Unit <sup>3</sup>	\$700	N/A
5 Mid.	Midstream Air-Source HPWH (≤ 120 gal)	\$/Unit <sup>4</sup>	\$800	\$50 contractor \$50 distributor
7	GSHP Desuperheater	\$/Unit	\$100	N/A
8	Dedicated DHW WWHP	\$/Unit	\$900	N/A

## Save your customers money while earning some for yourself!

Priority electrification areas in National Grid's service territory may qualify for additional incentives. Learn more at [ngrid.com/nys-cleanheat](https://ngrid.com/nys-cleanheat).<sup>5</sup>

<sup>1</sup> Each participating contractor may retain up to the participating contractor reward amount shown in the incentive table. The balance of the total incentive less the participating contractor reward must be passed or otherwise credited to the customer in its entirety.

<sup>2</sup> Total incentive to be limited to 120% of BHL—for example, total incentive ≤ ((Full Load GLHP Rating OR Full Load GWHP Rating × 1.2)/HP sizing ratio). See Equipment Sizing Requirements in Appendix 2 in the Program Manual for additional details. New Construction Multifamily projects with five or more units that elect to install GSHP systems will be incentivized at the Category 4: Custom Space Heating Applications rate.

<sup>3</sup> Available for HPWHs purchased through the instant rebate program at participating retailers.

<sup>4</sup> Available for HPWHs purchased through a participating distributor.

<sup>5</sup> Customers cannot receive incentives for both heat pump and gas space-heating equipment.

## Questions? Email an account manager:

**Ari Tatko**

[Ari.Tatko@icf.com](mailto:Ari.Tatko@icf.com)

**Kayla Peate**

[Kayla.Peate@icf.com](mailto:Kayla.Peate@icf.com)

**Jordan Alhart**

[Jordan.Alhart@icf.com](mailto:Jordan.Alhart@icf.com)

**Kale Beard**

[Kale.Beard@icf.com](mailto:Kale.Beard@icf.com)

**nationalgrid**

## NYS Clean Heat Equipment

Category Number	Description	Eligible Technologies	Eligibility Criteria
3	GSHP: Full Load Heating	GSHP	<ul style="list-style-type: none"> <li>Each heat pump in the system must meet or exceed the ENERGY STAR® geothermal heat pump specifications. Console units and non-console heat pump appliances with less than 24,000 Btu/h rated full load cooling whose performance does not meet or exceed ENERGY STAR specifications must apply for incentives under Category 4</li> <li>Total heat pump system heating capacity is &lt; 300,000 Btu/h, except for systems installed in multifamily buildings, which all must apply through Category 4</li> <li>Ground-Source Variable Refrigerant Flow Heat Pumps (“GSVRFs”) are eligible for incentives in Category 3 if the total heating capacity is &lt; 300,000 Btu/h. GSVRF systems, regardless of total heating system size or individual appliance cooling capacity, must meet or exceed the minimum efficiencies listed in Table 6</li> <li>System consists only of individual appliance cooling capacity for open-loop and closed-loop GSHP installs &lt; 135,000 Btu/h and/or individual appliance cooling capacity for direct exchange GSHP installs ≤ 180,000 Btu/h</li> <li>Ground loops must comply with applicable New York Department of Environmental Conservation (“NY DEC”), New York City (“NYC”), and International Ground-Source Heat Pump Association (“IGSHPA”) standards</li> <li>Total heat pump system heating capacity satisfies at least 90% of the BHL. Projects must be sized to meet at least 100% of the load of the project scope at design conditions and serve at least 80% of the building’s total square footage. See Section 3.3.2 for details. Systems sized for &gt; 120% BHL may incur further review and require justification</li> </ul>
5 and 5 Mid. <sup>6</sup>	HPWH (up to 120 gallons of tank capacity)	Air-to-Water HPWHs Dedicated DHW WWHP (> 120 gallons) added to ground loop	Air-to-Water HPWHs with storage capacities up to 120 gallons must meet or exceed ENERGY STAR Residential Water Heater specification.
7	GSHP Desuperheater	Optional component to GSHP systems	Installed as integrated component in an eligible GSHP.
8	Dedicated Domestic Hot Water (“DHW”) Water-to-Water Heat Pump (“WWHP”)	Dedicated DHW WWHP (< 120 gallons) added to ground loop	Can be integrated into an eligible GSHP or installed as a separate WWHP meeting or exceeding ENERGY STAR geothermal specifications. Must meet 100% of water heating load.

<sup>6</sup> Heat Pump Water Heater incentives are limited to one per customer. If you require more than one unit, please contact the program team.